





SOLAR STREET LIGHT



Single Bracket Two Way
Mppt Booster
Regular Road
Solar Street Light



Name of the Firm	M/s. MANSA SOLAR ENERGY
Constitution	Proprietorship Firm
Office & Manufacturing Unit At	98-99, Jarnally Kothi, Near Dyal Singh College Road, Karnal
Line of Activity	Manufacturing of all types of Solar street light, led street lights/ flood & high mast poles octagonal poles, victorian pole, heritage pole, tubular pole, swaged pole, step pole
Proprietor	Mr. Ram Mehar
Email	mansasolarenergy@gmail.com
Mobile No.	+91 94169-57681, +91 74948-67681

PROPRIETOR OF THE FIRM

Shri Ram Mehar: Is the proprietor of the firm age about 56 years. He is bachelor of technology (B.A) and has been instrumental in playing an important role in establishing industries in India. He has over 18 years of experience of trading and manufacturing of all types of LED Street Light / LED Flood Lights & High Mast Poles/Octagonal Poles, Victorian Poles & Heritage Pole.

COMPANY PROFILE

M/s Mansa Solar Energy was born out of a passion for manufacturing and solar equipment, established in 2005 and then registered in 2005 under Haryana vet Act in May 2005 and how also registered under GST No 06ALUPM8404B1Z2 with its registered office 98/99 Jernally Kothi Near Dayal Singh College Road, Karnal. M/s. Mansa Solar Energy is an Haryana besed MSME Company. The firm having good marketing network as well as to ensure quality based timely execution of orders. The firm is during with the mission of Quality product with zero defects. The firm developed multi-pronged direct buyer strategy to ensure intensive and extensive market coverage of targeted potential markets. This has not only enabled the firm to exploit the market potential at the optimum but also to provide greater customers satisfication.

LIST OF VALUED DEPARTMENTS

Govt Department Hareda Haryana / Govt Department PWD BR B&R Haryana

Govt Department Panchyati Raja Haryana / Govt Department irrigation Haryana

Govt Department Mandi Board Haryana / Govt Department Nagar Nigams Haryana







• 30-33 Victorian Design Poles

• 34-38 Bracket Design

• 39-40 Bolland Design

o 41-43 Post Top Light

For Today & Tomorrow

• 44-46 Flood Light / Street Light

47-48 Solar Energy

• 26-29- Heritage Design Poles

● 13-25- Modern Design Poles

● O8-12- High Mast Poles

Standard Specification

● 06-07- Octagonal Poles

02-03 - Company Profile

• 04-05- Our Project



ASUOH RAJOS ASNAM

Solar Street Light



Website: www.mansasolarenergy.in

#98-99, Jarnally Kothi, Dyal Singh College Road,

Karnal-132001 (Haryana) INDIA

moo.lismg@gmenessolarenergy@gmell.com

MANSA SOLAR ENERGY

M06







68-99 JERNALY KOTHI, KARNAL

AN ISO 9001: 2015 Certified Company ANAN Lighting & Poles



SOLAR STREET LIGHT





























APPROVED BY: PWD B &R GOVT. OF HARYANA PWD B & R GOVT. OF UTTAR PARDESH NHAI GOVT. OF INDIA



SOLAR ENERGY FOR TODAY & TOMORROW



FLATE PLATE COLLECTOR (PPC)

Features: Compact System

Sturdy System

High Emissivity Toughened Glass

Capacity: 100,200,300,500, 1000LPD.


Application & System Type

Gravity FLow Themosiphon System Forced Flow Heat Exchanger System that Exchanger System









THE BRIGHT FUTURE



Gravity GLow Themosiphon System Forced Flow Heat Exchanger System

Application & System Type

Capacity: 100,200,300,500, 1000LPD.

Less er Space Requirement

Features: High Thermal Efficiency
Less Maintenance

EVACUATED TUBE COLLECTOR (ETC)

SOLAR TOMORROW SOLAR ENERGY FOR TODAY







Street Light



LED IP-66 street light fixture made of die cast aluminum housing fitted with toughened glass with wide power LED & lens

WATTAGE	MRP	WATTAGE	MRP
90W	7200.00	180W	16,300.00
120W	7600.00	210W	24,600.00
150W	12,900.00	240W	27,000.00



MSE-PTL LED 145

LED IP67 street light fixture made of die cast aluminum housing fitted with toughened glass

WATTAGE	SIZE	MRP
45W		1770.00
50W		1870.00



MSE-PTL LED 143

LED IP-67 street light fixture made of die cast aluminum hosing fitted toughened glass.

WATTAGE	SIZE	MRP
20W		2150.00
30W		2650.00
45W		3500.00



MSE-PTL LED 146

LED IP-65 street light fixture made of die cast aluminum housing fitted with toughened glass.

WATTAGE	SIZE	MRP
20W		1190.00
30W		1410.00
36W		1460.00



MSE-PTL LED 144

LED 1P-67 street light fixture made of die cast aluminum housing with toughened glass.

WATTAGE	SIZE	MRP
80W		4200.00
120W		5500.00
150W		5700.00



MSE-PTL LED 147

LED wall mounting light fixture made of die cast aluminum fitted with polycarbonate disffuser

WATTAGE	SIZE	MRP
60W		2480.00
70W		2630.00
90W		3200.00
100W		3500.00







MSE-BL LED 130

LED IP-67 flood made of the die cast aluminum housing fitted with thoughned glass with wide power LED & lens.

WATTAGE	SIZE	MRP
300W		24,800.00
400W		39,800.00



MSE-BL LED 133

LED IP-67 stadium flood light fixture made of die cast aluminum housing fitted with toughened glass. aluminum hosing fitted with polycarbonate

WATTAGE	SIZE	MRP
400W		42,000.00



MSE-BL LED 131

LED wall mounting light fixture made of cast aluminum fitted with polycarbonate diffuser with high power LED & lens.

WATTAGE	SIZE	MRP
120W		10,900.00
150W		13,800.00
200W		16,600.00



MSE-BL LED 135

LED bay light fixture made of die cast


3	Programme and the second	
WATTAGE	SIZE	MRP
10W		10,200.00
10W		12,900.00



MSE-BL LED 132

LED IP-65 food fixture made of die cast aluminum housing fitted with toughned glass (MID) Power LED)

WATTAGE	SIZE	MRP
80W	150x200	6300.00
100W		7300.00



MSE-BL LED 134

LED high-bay fixture made extruted aluminum housing fitted with andodized aluminum reflector with high power LED and lens

VATTAGE	MRP	WATTAGE	MRP	
50W	5600.00	120W	11,100.00	
70W	6600.00	150W	13,500.00	
100W	10,400.00	200W	17,700.00	



Standard **Specifications**

BOLT SIZE (No. x Dia) (mm)

4x16x350

4x16350

4x20x600

4x20x600

4x20x600

4x20x600

4x20x700

4x20x750 4x20x750 4x20x750

4x20x750

4x20x750

4x24x750

4x24x750

4x24x750

MANSA

60

60

70

70

100

HEIGHT (Mrt.)

8

10

10

10

THE BRIGHT FUTURE

BOTTOM Dia.

130

130

BASE PLATE (LXBXT)

200x200x10mm

210x210x12mm

225x225x16mm

250x250x16mm


275x275x16mm

275x275x20mm

310x310x20mm

- 1. The octagonal poles shall be not galvanized in single dip to 86 micorn.
- 2. The octagonal poles are designed for maximum wind speed 169 km/Hr.
- 3. Octagonal poles of length upto 12 Mtr.
- 4. Octagonal poles can also be manufactured as per customer requirement.
- 5. Arm brackets can be supplied duly galvanized as per the customer's requirements.





.0067	400×320	W04		24,500.00	285×440	120W
ЯM	SIZE	BATTAW		22,600.00	044×585	M06
made of cast aluminum hous		21,500.00	282×440	W07		
			AAM	3ZIS	BOATTAW	
utern	post top lar	Decorative				

LED decorative drop down light made of aluminum hosing fitted with PMMA





13,200.00	420×200	W04
12,400.00	420×200	Sew
ЧЯМ	BZIS	BOATTAW
		IDeniiir

AMM9 ditw bettiff gnisuod munimuls for LED decorative drop down light made

MSE-PTL LED 124

ASNAM





400.0067 03£x004

ted with poly carbonate cover.

ade of cast aluminum housing

MSE-PTL LED 128

of aluminum housing fitted with LED decorative drop down light made

MSE-PTL LED 125



MSE-PTL LED 126

M09 **BOATTAW**

with polycarbonate cover

of die cast aluminum housing fitted

LED IP-65. street light fixture made

SIZE

of die cast aluminum housing fitted

LED IP-65. street light fixture made

toughened glass

BATTAW

4100.00

400x500 | 13,200.00

BZIS

AMM9 diw bettif gnieuod munimuls fo

LED decorative drop down light made

13,500.00 MRP

00.007,81 00ex004

BZIS

aluminum housing fitted with poly

Decorative post top lantern of cast MSE-PTL LED 129

BOATTAW

Post Top Light

			WOT
		077×585	W09
		282×440	M09
M0Z	00.006,82	077×585	SSW
ANTIAM	ЧЯМ	BZIS	BOATTAW

bolycarbonate cover. of die cast aluminum housing fitted LED IP-65. street light fixture made



2900.00	MS4	2200.00	72M
2400.00	30W	00.0061	X0X
ЧЯМ	BOATTAW	ЧЯМ	BATTAW
		_	^

with toughened glass of die cast aluminum housing fitted LED IP-65. street light fixture made



fitted with polycarbonate cover.

LED IP-65, Street light fixture

made of die cast aluminum hosing

2100.00		32M
ЧЯМ	BZIS	39ATTAW
	ate cover.	olycarbona

of die cast aluminum housing fitted LED IP-65. street light fixture made





Street Light





Post Top Light



MSE-PTL LED 118

Decorative post top lantern made of cast aluminum housing fitted with polycarbonate cover.

WATTAGE	SIZE	MRP
40W	440x460	15.800.00



MSE-PTL LED 121

Decorative indirect post top lantern made of die cast aluminum base arms & spun aluminum top.

WATTA	GE	SIZE	MRP
25W	1	10x400	14,300.00
40W	4	40x400	14,900.00



MSE-PTL LED 119

Decorative post top lantern made of cast aluminum base arms & spun aluminum top (Nointegral)

WATTAGE	SIZE	MRP		
40W	550x600	19,300.00		



MSE-PTL LED 122

Decorative post top lantern made of die cast aluminum fitted toughened glass.

WATTAGE	SIZE	MRP
10W	760x515	15,800.00



MSE-PTL LED 120

Post top lantern made of die cast aluminum base & top fitted with polycarbonate cover

WATTAGE	SIZE	MRP
40W	670x470	18,900.00



MSE-PTL LED 123

Decorative post top lantern made of cast aluminum housing fitted with poly carbonate cover.

WATTAGE	SIZE	MRP
40W	400x310	17,500.00
40W	585x465	24,900.00
60W	585x465	27,900.00



Bollard Light



MSE-BL LED 106

LED Bollard lighting fixture made of cast aluminum fitted with polycarbonate diffuser.

WATTAGE	SIZE	MRP
10W	600x200	8000.00

MSE-BL LED 109

LED indirect Bollard light fixture made of cast aluminum base perforated aluminum pipe fitted with toughened glass

lougheneu glass			
WATTAGE	SIZE	MRP	
20W	800x250	11x800.00	



MSE-BL LED 107

LED Bollard light fixture made of cast aluminum fitted with polycarbonate diffuser also available is wall light as per product image.

WATTAGE	SIZE	MKP
10W	800x150	12,800.00

MSE-BL LED 110

LED light fixture made of cast aluminum fitted with polycarbonate diffuser.

WATTAGE	SIZE	MRP
12W	600x245	10,900.00



MSE-BL LED 108

LED Bollard light fixture made of cast aluminum fitted with polycarbonate diffuser (Higher:600mm)

***************************************	<u> </u>	
10W	150x200	10,900.00
	7	
	- 6	

MSE-BL LED 111

LED Bollard light fixture made of cast aluminum fitted with polycarbonate diffuser

WATTAGE	SIZE	MRP
10W	600x100	10,200.00
10W	900x100	12,900.00





FIXED TYPE HEAD FRAME

For Longer Life and Perfect Balancing

HIGH MAST POLES

ACCESSORIES





WINCHES

Which designed with gear ration 53:1 and without break or clutches. Theses are self lubricated for sustained trouble free life

Designed with large Dia. Non Corrosive Aluminum Pulley System

HIGH MAST FINISH

The Complete is fully hot dip galvanized for longer life.

LANTERN CARRIAGE

We specialize in custom built design, standard lighting design and various types and shapes. The lantern carriage is supported with three numbers flexible 6 sq. mm. S.S. who ropes from the distributors that can be elevated/lowered electrically and mechanically.

OPTIONAL

The most can be supplied with timer/photo sensor panel auto control

Mast with continuous tepered polygonal cross section have high load bearing strength oscillation due to wind speed and related stress are fully taken care in the design.



HIGH MAST POLES

		SPECTIFICATI	ONS	
1. MATERIAL CONSTRUCT	TION	18 MTR MS IS 2062/ BSEN 10025 FE 510 C	16 MTR MS IS 2062/ BSEN 10025 FE 510 C	15 MTR MS IS 2062/ BSEN 10025 FE 510 C
2. No. of Longit	udinal Welds	Single/Double	Single/Double	Single/Double
3. Cross Sectio Polygon (No.		20	20	20
4. Thickness		4,3 mm	4,4,4,mm	4,4,3,mm
5. Individual Se	ction's Length	93000mm	8833mm	7733mm
6. Base & Top D	Dia (OAF)	360/150mm 410/150mm	360/150mm 410/150mm	360/150mm 410/150mm
Thickness of (Minimum) is		86 Microns	86 Microns	86 Microns
8. Size of opear	ning door at base	350x900mm	350x900mm	350x900mm
9. Size of base	plate diameter	560mm 610mm	560mm 610mm	560mm 610mm
10. Size of base	plate thickness	25mm	25mm	25mm
11. Number of fo	undation bolts	6/8	6/8	6/8
12. PCD of found	dation bolts	850mm	850mm	850mm
13. Type of found	dation bolts	Tor Steel (410 Mpa Y.S)	Tor Steel (410 Mpa Y.S)	Tor Steel (410 Mpa Y.S)
14. Bolt diameter	r	25mm	25mm	25mm
	AS PER	R CUSTOMER'S R	EQUIREMENT	
2 Nos.	2 Nos.	2 Nos.	2 Nos.	2 Nos.
750kg	750kg	750 kg	750 kg	750 kg
3 No./8mm	3 No./8mm	3 Nos./6mm	3 Nos./6mm	3 Nos./6mm



Post Top Light



HICH WYZL BOLES





aluminum base spun aluminum and PMMP cover & reflector Post top lantern made of die cast

00.00e,01	150×200	WOr
ЧЯМ	SIZE	BATTAW



WSE-BL LED 117

aluminum fitted with clear glass LED indirect gate made of cast

BZIS

295x285 7050.00

12W

BOATTAW



Decorative post top lantem made of

22,800.00	008×059	M06
00.008,22	008×059	W07
14,300.00	007×00ð	W04
13,600.00	007×003	Z2W
МКР	SIZE	BATTAW
		PMMA cover.



ANTIAGE SIZE cast aluminum fitted with LED Bollard light fixture made of

00.0067 035×004 W04



LED post top lantern made of cast die

15,800.00	06E×009	W04
ЧЯМ	BZIS	39ATTAW



LED gate mounting light fixture made of cast aluminum fitted with polycarbonate

00.00£8	380×245	NZ1
ЧЯМ	BZIS	39ATTAW







WSE-BL LED 101

BOATTAW BZIS polycarbonate diffuser & reflectior of case aluminum fitted with clear LED Bollard lighting fixture made

800×150 12,800.00

WZE-Br red 10¢	

WSE-BL LED 105

bolycarbonate diffuser.

of cast aluninum fitted with

aluminum fitted with polycarbonate LED light fixture made of cast

BZIS

LED indirect Bollard light fixture made

WSE-BL LED 102

00.000,01

12,900.00	001x006	WOI
10,200.00	001x009	WOF
ЧЯМ	BZIS	BOATTAW



WSE-BF FED 104	

ED indirect Bollard light fixture made cast aluminum base perforated aluminum
WZE-BF FED 104
1

00.000,01	600×245	WSI	00.008×11	800×250	X0V
ЧЯМ	BZIS	39ATTAW	ЧЯМ	BZIS	39ATTAN
if cast aluminum base perforated aluminum pipe fitted with polycarbonate toughened glass			U	um fitted with	
LED indirect Bollard light fixture made				light fixture	

WSE-BL LED 103

00Z×009

BZIS

aluminum fitted with polycarbonate


LED Bollard lighting fixture of cast

WZE-BT TED 100

THE BRIGHT FUTURE

VSNAM

35ATTAW



. SoN 2	.soM S	2 Nos.	.soN S	16. Drum's
	/GE :			
	тизмзяіпрэ	39 &A	15. Number of fittings	
	:39AII	ГАИТЕВИ САВВ		
Մշջաա	աացշ	շջաա	30mm	14. Bolt diameter
leest ToT (2,Y sqM 014)	Tor Steel (2.Y sqM 014)	Tor Steel (2.Y sqM 014)	Tor Steel (2.Y sqM 014)	13. Type of foundation bolts
mm028	mm028	mm028	աա0001	12. PCD of foundation bolts
12	12	12	91	11. Number of foundation bolts
աացշ	շջաա	32mm	35mm	10. Size of base plate thickness
աաՕԼ9	աա099	աաց89	mm0 ≱ 7	9. Size of base plate diameter
350x1000mm	350x1000mm	350x1000mm	350x1000mm	8. Size of opeaning door at base
snoroiM 88	suoroiM 88	86 Microns	snoroiM 88	7. Thickness of Galvanization (Minimum) is 2629
410/150mm	ოო02 L/09)	485/180mm	540/200mm	6. Base & Top Dia (OAF)
mm3307	mm££77	mm££88	mm0008\00201	5. Individual Section's Length
mm,ε,₄, <u></u>	mm,£,♣, ₽	աա ,4,4,4	աա ՝ ք՝ ֆ՝ ֆ	4. Thickness
50	50	20	50	3. Cross Section of mast in Polygon (No. of Sides)
Single/Double	Single/Double	Single/Double	Single/Double	2. No. of Longitudinal Welds
WS IS 2062/ WS IS 2062/ PSEM 10025	22 MTR MS IS 2062/ PS MTR PE 510 C	25 MTR MS IS 2062/ PE 510 C 25 MTR	30 MTR 30 MTR 30 MTR	1. MATERIAL CONSTRUCTION
SPECTIFICATIONS				

750 kg

18. Number of ropes / thickness 3 Nos./6mm 3 Nos./6mm 750 kg

HICH WYZL BOLES







mmð\.eoM &	mmð\.eoN &	mma\.soM &	mm8\.oV &	mm8\.oV 8
750 kg	∆20 kg	750 kg	750kg	750kg
.soM S	.soM S	.soM S	.soN S	2 Nos.
	ЕQUIREMENT	CUSTOMER'S R	A39 RA	
	39AIS	ТАИТЕРИ САРР		
(410 Mpa, YS) mm 22	(27 ,8qM 014) mm 22	(27 ,8qM 014) mm 22	j.	14. Bolt diamete
Tor Steel	Tor Steel	Tor Steel	ation holts	13. Type of foun
աա 0ջ <u>۲</u>	mm027	mm027	ation holts	12. PCD of foun
9	9	9	stlod noitsbnuc	11. Number of f
		mm02	plate thickness	10. Size of base
աաՕէջ	աա0 ի ջ	ლლ <u>ე</u> 95	9. Size of base plate diameter	
mm006x02S	mm00ex02S	mm00ex092	8. Size of opeaning door at base	
suoroiM 88	suoroiM 88	86 Microns	7. Thickness of Galvanization (Minimum) is 2629	
mm001\09£	360/125mm	360/150mm	(AAO) siO	6. Base & Top
աա00089	mm00089	mm00089	ction's Length	S Isubivibnl .
mm E.E	mm E.E	mm £.£		4. Thickness
91	91	91	3. Cross Section of mast in Polygon (No. of Sides)	
Single/Double	Single/Double	Single/Double	sbleW lsnibut	2. No. of Longi
15 MTR MS IS 2062/ FE 510 C FE 510 C	16 MTR MS IS 2062/ FE 510 C FE 510 C	18 MTR MS IS 2062/ MS IS 2062/	ПОИ	I. МАТЕRIAL СОИЅТRUC



Bracket Design


























Bracket Design





























Modern Design Pole



Decorative indirect pole made of galvanized mild pipes fitted with cast aluminium fixture duly polyurethane paint coated fitted with 40 watt LED lamp and 2nos LED tubes.

HEIGHT	WATTAGE	BASE PLATE	MRP.
3800MM	40W	300X300X12MM	40,800.00



Decorative indirect pole made of galvanized mild steel pipes fitted with cast aluminum fixture duly polyurethane coated fitted with 40 watt LED Lamp and 2nos LED tubes,

HEIGHT	WATTAGE	BASE PLATE	MRP.
3800MM	40W	300X300X12MM	41,800.00



Modern Design Pole



MSE 104

Decorative indirect pole made of galvanized mild pipes fitted with cast aluminum fixture duly polyurethane paint coated fitted with 40 watt LED lamp and 2nos LED tubes

HEIGHT	WATTAGE	BASE PLATE	MRP.
3800MM	40W	300X300X12MM	32,800.00



MSE 105

Decorative indirect pole made of galvanized mild steel fitted with cast aluminum fixture duly polyurethane paint coated fitted with 40 watt LED lamp and 2nos LED tubes

HEIGHT	WATTAGE	BASE PLATE	MRP.
3800MM	40W	300X300X12MM	34,800.00


Bracket Design


Bracket Design




Modern Design Pole



















THE BRIGHT FUTURE

SNAM AND AND ADDRESS OF THE PROPERTY OF THE PR

300X300X12MM 32,500.00

BASE PLATE

fitted with cast aluminum fixture duly polyurethane paint coated fitted with 40 waft LED lamp and 2nos LED tubes Decorative indirect pole made of galvanized mild pipes



3800MM

HEIGHT


ANATTAGE

Modern Design Pole

MATTAGE

3800MM

HEIGHT



Decorative indirect pole made of galvanized mild steel pipes fitted with cast alumimum / embelishments duly

(mS) 1.87


(mt) 7.eEt (mf) E.411

(mf) E.411

00.008,8E mm_S1x082x08S (m3.S) 1.37 (m3.f)17.9E1 M4

00.00e,8E mmS1x03Sx03S (m S) 1.87

MmS1x032x03S



300X300X12MM 38,800.00

BASE PLATE

fitted with cast aluminum fixture duly polyurethane paint coated fitted with 40 waft LED lamp and 2nos LED tubes

Decorative indirect pole made of galvanized mild pipes

Decorative indirect pole made of galvanized mild steel pipes duly polyurethane paint coated

36,800.00		mm£. ԳԼԼ	W⊅
32,900.00	Z50xZ50x12mm	mm£. ԳԼԼ	ME
33,300.00	Z50xZ50x12mm	mme.88	W⊅
32,800.00	250x250x12mm	mme.88	ME
MRP.	BASE PLATE	BDATTAW	HEIGHT




Bracket Design



























Victorain Design Pole



MSE-134
Decorative pole made of cast iron available with wide variety of bracket lesign

HEIGHT	BASE PLATE	PIPE DIA.	MRP.
3M	290 mm	76,1mm,60.1mm	45,900.00
4M	290 mm	76.1mm, 60.1mm	55,900.00
5M	290 mm	76.1mm, 60.1mm	70,900.00




MSE-135
ecorative pole made of cast iron available with combination of ribbed IS/GI pipe available with wide variety of bracket designs.

HEIGHT	BASE PLATE	PIPE DIA.	MRP.
3M	290 mm	88.9mm	40,200.00
4M	290 mm	88.9mm	48,500.00
5M	290 mm	88.9mm	60.500.00
6M	450 mm	88.9mm	70,000.00
7M	450 mm	88.9mm	78,300.00




Modern Design Pole



Decorative indirect pole made of galvanized mild steel pipes duly fitted cast aluminum, embellishments duly polyurethane paint coated

HEIGHT	WATTAGE	BASE PLATE	MRP.
3M	114.3(1mx60.1)2m	250x250x12mm	13,300.00
3M	114.3(1m)x60.1(2m)	250x250x12mm	14,200.00
4M	114.3(1.5)60.1(2.5m)	250x250x12mm	15,200.00
5M	139.7(1.5m)x76.1(3.5m)	250x250x12mm	18,200.00
6M	139.7(1.5M)X76.1 (4.5M)	300X250X12mm	21,900.00




Decorative indirect pole made of galvanized mild steel pipes fitted with cast aluminum/ embellishments duly polyurethane paint coated

HEIGHT	H1	H2	BASE PLATE	MRP.
ЗМ	114.3 (1m)	60.1 (2m)	250x250x12mm	13,50.00
3M	114.2 (1m)	73.1 (2m)	250x250x12mm	14, 600.00
4M	114.3 (1.5m)	76.1 (2.5m)) 250x250x12mm	15, 800.00
5M	139.7 (1.5m)	76.1(3.5m)	300x300x12mm	18,900.00
6M	139.7 (1.5m)	76.1(4.5)	300x300x12mm	22,900.00




Modern Design Pole



MSE-111	
Decorative pole made of galvanized mild steel pi pu paint polyturethane paint coated	pes duly

pa paint polytarotriano paint coatoa			
HEIGHT	WATTAGE	BASE PLATE	MRP.
3M	139.7 (1m)	300X300X12mm	15,000.00
4M	139.7 (1.5m)	300x300x12mm	17,300.00
5M	139.7(1.5m)	300x300x12mm	18,900.00
6M	139.7 (1.5m)	300x300x12mm	20,500.00



WOL-112	
Decorative pole made of galvanized mild steel pipes fitted with cast aluminum/embllishments duly polyurethane paint coated	

HEIGHT	H1	H2	BASE PLATE	MRP.
3M	114.3 (1m)	60.1 (2m)	250x250x12mm	12,200.00
3M	114.2 (1m)	76.1 (2m)	250x250x12mm	13,300.00
4M	114.3 (1.5m)	76.1 (2.5m)	250x250x12mm	15, 500.00
5M	139.7 (1.5m)	76.1(3.5m)	300x300x12mm	17.500.00
6M	139.7 (1.5m)	76.1(4.5)	300x300x12mm	18.800.00
7M	139.7(1.5m)	88.9(5.5m)	300x300x12mm	20,900.00

Victorain Design Pole









00.00e,07 mm1.09 ,mm1.37

Decorative pole made of cast iron available with combination of ribbed MS/GI pipe available with wide variety of bracket designs. (Price are w/o lighting fixture & brackets)

00.008,29	mm6.88	mm00 1	W9
99' 300'00	mme.88	mm00 1	W9
00.008 ,74	mme.88	mm00 1	W⊅
31, 500.00	mme.88	mm00 1	ME
.AAM	PIPE DIA.	BASE PLATE	HEIGHT



vide variety of I	ron available with v	i tsso to ebsm elo	Decorative p design
	001 7014		

.002,86	mm 02 1	ME	

Victorain Design Pole



HEIGHT BASE PLATE

Decorative pole made of cast iron available with combination of MS/GI








Decorative pole made of cast iron available with combination of MS/GI pipe available with wide variety of bracket designs.

00.002,63	mm1.87	ოო 06Z	M9
00.006,84	mm1.8T	ოო 06Z	W⊅
38,800.00	տա , 67	mm 06S	ME
MRP.	.AID ∃919.	BASE PLATE	HEIGHT

THE BRIGHT FUTURE	
SNAM	ASNAM

00.00£,22	300x300x12mm	(mč.č)6.88	(mð.f)7.9£f	MZ
20.900.00	300x300x12mm	(6.4)1.67	(mč.f) 7.esf	M9
00.008.91	300x300x12mm	(mč.£)1.87	(mč.f) 7.esf	M3
00.008,71		(mč.S) 1.87	(mč.f) £.41f	W⊅
15,500.00	Z50xZ50x12mm	(mS) 1.87	(mt) S.4tt	ME
12,200.00	mmSfx03Sx03S	(mS) 1.09	(mt) &.4tt	ME
.AAM	BASE PLATE	ZH	lН	HEIGHT

Modern Design Pole



Decorative pole made of galvanized mild steel pipes fitted with


00.008,52	300x300x12mm	(mč.č)6.88	(mč.1)7.es1	MZ
20.900.00	300x300x12mm	(6.4)1.67	(m².1) 7.es1	W9
00.008.91	300x300x12mm	(mč.£)1.87	(m².1) 7.es1	W9
00.008,۲۱	Z50x250x12mm	(mč.S) 1.87	(mð.f) £.411	W⊅
15,500.00	Z50xZ50x12mm	(mS) 1.87	(mt) S.4tt	ME
12,200.00	250x250x12mm	(mS) 1.00	(mt) &.4tr	ME
MRP.	BASE PLATE	ZH	lН	HEIGHT
pated	urethane paint co	suts duly poly	emdeilldmə/muni	cast alum

00.02,22 mmStX035X008 (M3.4) t.37X(M3.1)7.981 M8 00.009.91 mmS1x032x008 (m3.8)1.37x(m2.1)7.981 M3

Decorative indirect pole made of galvanized mild steel pipes with MS casted base plate fitted with aluminum, embellishments duly polyurethane paint coated



Modern Design Pole



Decorative pole made of galvanized mild steel pipes duly polyurethane paint coated

0.006,81	mm81x00Ex00E	(ოⴋ.£)6.88	(mč.£)£.411	(mɛ)7.eɛt	MOI
0.006,81	mm91x00Ex00E	(ოⴋ.£)6.88	(mč.£)£.411	(mS)7.eEf	M6
0.006,81	mm81x00Ex00E	(ო£)6.88	(mE)E.411	(mS)7.eE1	M8
14,900.0	mm81x00£x00£	(mč.S)6.88	(mč.S)£.411	(mS)7.eEf	MΖ
0.006,81	300x300x30mm	(mč.S)6.88	(mð.S)£.411	(mt)7.e8t	M9
МКР	Base Plate	qo <u>T</u>	əlbbM	Воууот	HEIGHT



ASNAM

Decorative pole made of galvanized mild steel steel pipes duly pu paint polyturethane paint coated

20,500.00	300x300x12mm	(mð.f) 7.eef	M 9
00.006,81	300x300x12mm	(mð.1)7.eɛ1	MG
00.008,71	mmS1x00Ex00E	(mč.t) 7.9£t	W⊅
15,000.00	300X300EX	(mt) 7.est	ME
MRP.	BASE PLATE	BDATTAW	HEIGHT



Victorain Design Pole



MSE-130 Decorative pole made of cast iron available with combination of MS/GI pipe available with wide variety of bracket designs

HEIGHT	BASE PLATE	PIPE DIA.	MRP.
3M	290 mm	76,1mm,60.1mm	45,900.00
4M	290 mm	76.1mm, 60.1mm	55,900.00
5M	290 mm	76.1mm, 60.1mm	70,900.00




MSE-131
Decorative pole made of cast iron available with combination of MS/GI pipe available with wide variety of bracket designs .


or more pipe available mar mae variety or brasher accigner				
HEIGHT	BASE PLATE	PIPE DIA.	MRP.	
3M	290 mm	76,1mm	38,800.00	
4M	290 mm	76.1mm	48,900.00	
5M	290 mm	76.1mm	59,500.00	



Heritage Design Pole




MSE-126						
Decorative pole made of galvanized steel mild steel pipes fitted with cast aluminum/iron steel embellishments duly polyurthane coated						
HEIGHT	H1	H2	BASE PLATE	MRP.		
3M	114.3(1m)	76.1 (2m)	25x250x12mm	18,500.00		
4M	114.3(1.5m)	76.1 (2.5m)	25x250x12mm	21,500.00		
5M	139.7 (1.5m)	76.1 (3.5m)	250x250x12mm	24,500.00		
6M	139.7 (1.5m)	76.1 (4.5m)	300x300x12mm	27,500.00		
7M	139.7 (1.5m)	76.1 (5.5m)	300x300x16mm	30,500.00		
8M	139.7 (1.5m)	88.9 (6.5m)	300x300x16mm	33,800.00		
9M	139.7 (1.5m)	88.9 (7.5m)	300x300x16mm	36,900.00		
7M	193.7 (2m)	114.3 (5m)	400x400x16mm	38,500.00		
8M	193.7 (2m)	114.3(6m)	400x400x20mm	39,900.00		



	MSE-127					
			eel mild steel pipes lyurthane paint coa			
HEIGHT	H1	H2	BASE PLATE	MRP.		
3M	114.3(1m)	76.1 (2m)	25x250x12mm	19.300.00		
4M	114.3(1.5m)	76.1 (2.5m)	25x250x12mm	22,300.00		
5M	139.7 (1.5m)	76.1 (3.5m)	250x250x12mm	25,800.00		
6M	139.7 (1.5m)	76.1 (4.5m)	300x300x12mm	28,900.00		
7M	139.7 (1.5m)	76.1 (5.5m)	300x300x16mm	31,900.00		
8M	139.7 (1.5m)	88.9 (6.5m)	300x300x16mm	34,800.00		



Modern Design Pole



MSE-116

Decorative pole made of square pipes duly polyurethane paint coated supplied along with integrated LED Lights

HEIGHT	WATT	PIPE DIA	BASE PLATE	MRP.
3M	25w	100X100mm	250x250x12mm	24,900.00
4M	45W	100X100mm	250x250x12mm	28,300.00
5M	45W	100X100mm	250x250x12mm	31,800.00
6M	70W	100X100mm	250x250x12mm	36,200.00
ЗМ	25W	85x145mm	300x300x12mm	25,900.00
4M	45W	85x145mm	300x300x12mm	28,300.00
5M	45w	85x145mm	300x300x12mm	31,300.00
6M	70W	85x145mm	300x300x12mm	36,900.00




MSE-117

Decorative pole made of square pipes duly polyurethane paint coated supplied along with integrated LED Lights

HEIGHT	WATT	PIPE DIA	BASE PLATE	MRP.
3M	25w	100X100mm	250x250x12mm	23,500.00
4M	45w	100X100mm	250x250x12mm	27,800.00
5M	45w	100X100mm	250x250x12mm	30,900.00
6M	70w	100X100mm	250x250x12mm	34,900.00
ЗМ	25w	85x145mm	300x300x12mm	23,900.00
4M	45w	85x145mm	300x300x12mm	29,500.00
5M	45w	85x145mm	300x300x12mm	32.900.00
6M	70w	85x145mm	300x300x12mm	32.900.00




Modern Design Pole



Decorative pole made of square pipes duly polyurethane paint suitable for LED Lights. (Light prices extra)

paint suitable for LLD Lights. (Light phoes extra)					
HEIGHT	PIPE DIA	BASE PLATE	MRP.		
ЗМ	100x100mm	25x250x12mm	P.O.D.		
4M	100x100mm	25x250x12mm	P.O.D.		
5M	100x100mm	250x250x12mm	P.O.D.		
6M	100x100mm	250x250x12mm	P.O.D.		



Decorative pole made of square pipes duly polyurethane paint suitable for LED Lights. (Light prices extra)

HEIGHT	WATT	BASE PLATE	MRP.
ЗМ	40w	25x250x12mm	P.O.D.
4M	40w	25x250x12mm	P.O.D.
5M	40w	250x250x12mm	P.O.D.
6M	40w	250x250x12mm	P.O.D.

Heritage Design Pole








00,006,08	աա ՇՆՆ	ME
MRP.	BASE PLATE	HEIGHT

ASNAM

Heritage Design Pole



bəte	Decorative pole made of galvanized steel pipes fitted with co
	WSE-125

00.006,62	300x300x12mm	(mč.4) 1.87	(mč.1) 7.es1	MZ
00.000.82	300x300x12mm	(mč.£) 1.8T	(mð.f) 7.e&f	M9
23,200.00	Z50x250x12mm	(mč.S) 1.87	(mð.f) 7.est	W9
20,000.00	Z5x250x12mm	(mS) 1.87	(m3.1) 7.es1	W⊅
17,200.00	Z5x250x12mm	(mS) 1.87	(mt)7.est	ME
MRP.	BASE PLATE	ZH	lН	HEIGHT
1۲,200.00	mmS1x03Sx3S	(mS) 1.87	(mt)7.est	ME

THE BRIGHT FUTURE

Modern Design Pole



38,900.00	Z50x250x12mm	mm001x001	w07	M9
32,900.00	Z50x250x12mm	mm001x001	w2 ↑	MS
00.006,82	Z5xZ50x12mm	mm001x001	w2₽	Wτ
25,800.00	Z5xZ50x12mm	mm001x001	WGS	ME
MRP.	BASE PLATE	AID 3414	TTAW	HEIGHT





corative pole made of square pipes duly polyurethane nt coated supplied along with integrated LED Lights
WSE-118

00.006,14	Z50x250x12mm	mm001x001	w07xS	M9
36,900.00	Z50x250x12mm	mm001x001	w245w	MS
32,800.00	Z5xZ50x12mm	mm001x001	w245w	W⊅
00.006,72	Z5xZ50x12mm	mm001x001	WGZXZ	ME
MRP.	BASE PLATE	AID 3414	TTAW	HEIGHT



Decorative pole made of galvanized steel pipe fitted with cast aluminum polyurethane paint coated

00.006,62	300x300x12mm	(mč.4) 1.87	(mč.1) 7.es1	W 9
00.000.82	300x300x12mm	(mč.£) 1.87	(mč.1) 7.es1	W9
00.002,62	Z50x250x12mm	(mč.S) 1.87	(mč.1)£.411	W⊅
20,000.00	Z5x250x12mm	(mS) 1.87	(mt) &.4tt	ME
00.00S,71	Z5x250x12mm	(mS) 1.87	(mt) &.4tt	ME
MRP.	BASE PLATE	ZH	ŀН	HEIGHT

